



Rundrohre gezogen
Tubes ronds étirés

CW508L
CuZn37

Norm/Norme: DIN EN 12449
 Zustand/Etat: halbhart/demi-dur R370
 Stangenlänge/Longueur: ca./env. 5 m

mm		Wandstärke/ paroi	kg/m	CuZn37
1	× 2	0.5	0.02	●
2	× 3	0.5	0.03	●
3	× 4	0.5	0.05	●
4	× 5	0.5	0.06	●
5	× 6	0.5	0.07	●
6	× 7	0.5	0.09	●
7	× 8	0.5	0.10	●
8	× 9	0.5	0.11	●
9	× 10	0.5	0.13	●
10	× 11	0.5	0.14	●
11	× 12	0.5	0.15	●
12	× 13	0.5	0.17	●
13	× 14	0.5	0.18	●
14	× 15	0.5	0.19	●
15	× 16	0.5	0.21	●
16	× 17	0.5	0.22	●
19	× 20	0.5	0.26	●
20	× 21	0.5	0.27	●
21	× 22	0.5	0.29	●
24	× 25	0.5	0.33	●
43	× 44	0.5	0.58	●
2	× 4	1.0	0.08	●
3	× 5	1.0	0.11	●
4	× 6	1.0	0.13	●
5	× 7	1.0	0.16	●
6	× 8	1.0	0.19	●
7	× 9	1.0	0.21	●
8	× 10	1.0	0.24	●
9	× 11	1.0	0.27	●
10	× 12	1.0	0.29	●
11	× 13	1.0	0.32	●
12	× 14	1.0	0.35	●

mm		Wandstärke/ paroi	kg/m	CuZn37
13	× 15	1.0	0.37	●
14	× 16	1.0	0.40	●
15	× 17	1.0	0.43	●
16	× 18	1.0	0.45	●
17	× 19	1.0	0.48	●
18	× 20	1.0	0.51	●
19	× 21	1.0	0.53	●
20	× 22	1.0	0.56	●
22	× 24	1.0	0.61	●
23	× 25	1.0	0.64	●
24	× 26	1.0	0.67	●
25	× 27	1.0	0.69	●
26	× 28	1.0	0.72	●
28	× 30	1.0	0.77	●
30	× 32	1.0	0.83	●
31	× 33	1.0	0.85	●
32	× 34	1.0	0.88	●
33	× 35	1.0	0.91	●
34	× 36	1.0	0.93	●
36	× 38	1.0	0.99	●
38	× 40	1.0	1.04	●
40	× 42	1.0	1.09	●
43	× 45	1.0	1.17	●
48	× 50	1.0	1.31	●
50	× 52	1.0	1.36	●
58	× 60	1.0	1.58	●
2	× 5	1.5	0.14	●
3	× 6	1.5	0.18	●
4	× 7	1.5	0.22	●
5	× 8	1.5	0.26	●
6	× 9	1.5	0.30	●
7	× 10	1.5	0.34	●

Fortsetzung siehe Seite 5.12/suite voir page 5.12



mm			Wandstärke/ paroi	kg/m	CuZn37
9	×	12	1.5	0.42	●
10	×	13	1.5	0.46	●
11	×	14	1.5	0.50	●
12	×	15	1.5	0.54	●
13	×	16	1.5	0.58	●
15	×	18	1.5	0.66	●
17	×	20	1.5	0.74	●
18	×	21	1.5	0.78	●
19	×	22	1.5	0.82	●
22	×	25	1.5	0.94	●
23	×	26	1.5	0.98	●
25	×	28	1.5	1.06	●
27	×	30	1.5	1.14	●
30	×	33	1.5	1.26	●
32	×	35	1.5	1.34	●
35	×	38	1.5	1.46	●
37	×	40	1.5	1.54	●
42	×	45	1.5	1.74	●
47	×	50	1.5	1.94	●
3	×	7	2.0	0.27	●
4	×	8	2.0	0.32	●
5	×	9	2.0	0.37	●
6	×	10	2.0	0.43	●
7	×	11	2.0	0.48	●
8	×	12	2.0	0.53	●
9	×	13	2.0	0.59	●
10	×	14	2.0	0.64	●
11	×	15	2.0	0.69	●
12	×	16	2.0	0.75	●
14	×	18	2.0	0.85	●
16	×	20	2.0	0.96	●
18	×	22	2.0	1.07	●
21	×	25	2.0	1.23	●
22	×	26	2.0	1.28	●
24	×	28	2.0	1.39	●
26	×	30	2.0	1.50	●
28	×	32	2.0	1.60	●
30	×	34	2.0	1.71	●
32	×	36	2.0	1.82	●
36	×	40	2.0	2.03	●
38	×	42	2.0	2.14	●
40	×	44	2.0	2.24	●

mm			Wandstärke/ paroi	kg/m	CuZn37
44	×	48	2.0	2.46	●
46	×	50	2.0	2.56	●
48	×	52	2.0	2.67	●
50	×	54	2.0	2.78	●
56	×	60	2.0	3.10	●
60	×	64	2.0	3.31	●
66	×	70	2.0	3.63	●